


Otto x Otto / design Francesco Dei Rossi

Vetro in cristallo extrachiario.
Montatura in metallo cromato.
Extraclear glass.
Chromed metal fitting.



80
31 1/2"


ø78
30 3/4"

OTTO X OTTO K4+8
12x60W G9
alogeno bispina
halogen bi-pin
doppia accensione
double switch

CE



IP20



80
31 1/2"


ø78
30 3/4"

OTTO X OTTO K8+8
16x60W G9
alogeno bispina
halogen bi-pin
doppia accensione
double switch

CE



IP20



102
40 1/8"


ø108
42 1/2"

OTTO X OTTO K4+8+12
24x60W G9
alogeno bispina
halogen bi-pin
doppia accensione
double switch

CE



IP20



69
27 1/8"

ø68
26 3/4"

OTTO X OTTO K8
8x60W G9
alogeno bispina
halogen bi-pin
doppia accensione
double switch


CE



IP20




Otto x Otto / design Francesco Dei Rossi



OTTO X OTTO S3L
3x40W G9
alogeno bispina
halogen bi-pin



OTTO X OTTO S4L
4x40W G9
alogeno bispina
halogen bi-pin




OTTO X OTTO S5L
5x40W G9
alogeno bispina
halogen bi-pin







Otto x Otto / design Francesco Dei Rossi




OTTO X OTTO S1
1x40W G9
alogeno bispina
halogen bi-pin




OTTO X OTTO S1D
1X40W G9
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables lenght 200 cm



OTTO X OTTO S2D
2x40W G9
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables lenght 200 cm



OTTO X OTTO S3D
3x40W G9
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables lenght 200 cm



OTTO X OTTO S6D
6x40W G9
alogeno bispina
halogen bi-pin
cavo elettrico 200 cm
cables lenght 200 cm





OTTO X OTTO L
1x60W G9
alogeno bispino
halogen bi-pin



OTTO X OTTO T
1x60W G9
alogeno bispino
halogen bi-pin




OTTO X OTTO R3
3x60W G9
alogeno bispino
halogen bi-pin




OTTO X OTTO R1
1x60W G9
alogeno bispino
halogen bi-pin







Otto x Otto / design Francesco Dei Rossi




OTTO X OTTO A
1x60W G9
alogeno bispina
halogen bi-pin




OTTO X OTTO A2
2x60W G9
alogeno bispina
halogen bi-pin




OTTO X OTTO A3
3x60W G9
alogeno bispina
halogen bi-pin



OTTO X OTTO P5
5x40W G9
alogeno bispina
halogen bi-pin




OTTO X OTTO P8
8x40W G9
alogeno bispina
halogen bi-pin




OTTO X OTTO P13
13x40W G9
alogeno bispina
halogen bi-pin





OTTO X OTTO F
 1x35W-12V GY6,35
 alogena bispina
 halogen bi-pin
 1x20W-12V G4
 alogena bispina
 halogen bi-pin
 foro incasso ø 4,5-5 cm
 profondità minima 9 cm
 trasformatore escluso
 recessed hole ø 4,5-5 cm
 min. depth 9 cm
 transformer not included

CE



OTTO X OTTO P
 1x40W G9
 alogena bispina
 halogen bi-pin

CE

