





MLN Kronn / 6230
Stefan Kährs
CR
Ø 70 | H 115
1 x GU10 | Max. 75 W | 50° | Dim.
 5 W. | 210 lumens | 2800K | 30° |
 | | 0,3 m





MLN Kronn / 6231
Stefan Kährs
BL
Ø 70 | H 115
1 x GU10 | Max. 75 W | 50° | Dim.
 5 W. | 210 lumens | 2800K | 30° |
 | | 0,3 m



MLN Kronn / 6232
Stefan Kährs
CR
Ø 70 | H 205
1 x GU10 | Max. 75 W | 50° | Dim.
 5 W. | 210 lumens | 2800K | 30° |
 | | 0,3 m


MLN Kronn / 6233
Stefan Kährs
BL
Ø 70 | H 205
1 x GU10 | Max. 75 W | 50° | Dim.
 5 W. | 210 lumens | 2800K | 30° |
 | | 0,3 m






MLN Kronn / 6226
 Stefan Kährs
 CR | NE
 Ø 79 | **H** Max. 166 | **S** Min. 141
 1 x GU10 | Max. 75 W | 50° | Dim.
 LED 5 W. | 210 lumens | 2800K | 30° |

MLN Kronn / 6227
 Stefan Kährs
 BL | NE
 Ø 79 | **H** Max. 166 | **S** Min. 141
 1 x GU10 | Max. 75 W | 50° | Dim.
 LED 5 W. | 210 lumens | 2800K | 30° |



MLN Kronn / 6228
 Stefan Kährs
 CR | NE
 Ø 79 | **H** Max. 245 | **S** Min. 220
 1 x GU10 | Max. 75 W | 50° | Dim.
 LED 5 W. | 210 lumens | 2800K | 30° |

MLN Kronn / 6229
 Stefan Kährs
 BL | NE
 Ø 79 | **H** Max. 245 | **S** Min. 220
 1 x GU10 | Max. 75 W | 50° | Dim.
 LED 5 W. | 210 lumens | 2800K | 30° |




MLN Kronn / 6234
Stefan Kährs

CR | NE
 Ø 220 | H 206
 3 x GU10 | Max. 75 W | \triangle 50° | Dim.
 LED 5 W. | 210 lumens | 2800K | \triangle 30° |
 | | \varnothing 0,3 m

MLN Kronn / 6235
Stefan Kährs

BL | NE
 Ø 220 | H 206
 3 x GU10 | Max. 75 W | \triangle 50° | Dim.
 LED 5 W. | 210 lumens | 2800K | \triangle 30° |
 | | \varnothing 0,3 m






MLN Kronn / 6236
Stefan Kährs

CR | NE
 Ø 145 | H 206
 2 x GU10 | Max. 75 W | \triangle 50° | Dim.
 LED 5 W. | 210 lumens | 2800K | \triangle 30° |
 | | \varnothing 0,3 m

MLN Kronn / 6237
Stefan Kährs

BL | NE
 Ø 145 | H 206
 2 x GU10 | Max. 75 W | \triangle 50° | Dim.
 LED 5 W. | 210 lumens | 2800K | \triangle 30° |
 | | \varnothing 0,3 m









MILAN ILUMINACIÓN




PLAFONES / CEILING LIGHTS



MLN Kronn / 6242
Stefan Kährs
CR | NE
Ø 79 | H Max. 161
1 x GU10 | Max. 75 W | 50° | Dim.
LED 5 W. | 210 lumens | 2800K | 30°

MLN Kronn / 6243
Stefan Kährs
BL | NE
Ø 79 | H Max. 161
1 x GU10 | Max. 75 W | 50° | Dim.
LED 5 W. | 210 lumens | 2800K | 30°



MLN Kronn / 6244
Stefan Kährs
CR | NE
Ø 79 | H Max. 219
1 x GU10 | Max. 75 W | 50° | Dim.
LED 5 W. | 210 lumens | 2800K | 30°

MLN Kronn / 6245
Stefan Kährs
BL | NE
Ø 79 | H Max. 219
1 x GU10 | Max. 75 W | 50° | Dim.
LED 5 W. | 210 lumens | 2800K | 30°